



## The first modular seal

with integrated installation control for a maximum installation security

GKD – convincing at first sight  
Yellow. Safe. Installed.







# The modular seal with integrated installation control

## Modular seal GKD



Article code:  
GKD xxx

### FEATURES AND TECHNICAL DATA:

- integrated installation control – no torque control key required
- no retightening required
- nuts moulded in pressure plate, therefore no loose parts
- high quality rubber in EPDM or NBR
- all metal parts made of high quality stainless steel V4A (AISI 316L)
- optimized geometry
- tightness up to 5 bar approved by Lloyds register
- made in Germany

The modular seal GKD from Hauff-Technik is the ideal sealing for pipes in core drilled holes or wall sleeves. The integrated installation control is giving a high installation security. Thanks to the modular structure the GKD is suitable for all kind of pipes and diameter combinations.

Annular space (mm)		Carrier pipe Ø (mm)		Required wall thickness (mm)	Article code
from	to	from	to		
12,7	16,0	21,3	323,9	75	<b>X* GKD200 EPDM50*</b>
16,0	20,0	25,0	323,9	75	<b>X* GKD275 EPDM50*</b>
18,5	23	58	463	100	<b>X* GKD300 EPDM50</b>
23,25	26	60,3	463	100	<b>X* GKD315 EPDM50</b>
24	30	152,2	716	110	<b>X* GKD325 EPDM50</b>
36,5	43	168,3	1230	150	<b>X* GKD400 EPDM50</b>
29	36	177,8	1230	125	<b>X* GKD425 EPDM50</b>
29	36	177,8	1230	125	<b>X* GKD440 EPDM50</b>
41,3	48,5	108	1230	150	<b>X* GKD475 EPDM50</b>
62	71,5	193,7	1220	165	<b>X* GKD500 EPDM50</b>
62	71,5	156	1230	165	<b>X* GKD525 EPDM50</b>
50	58	152	1230	165	<b>X* GKD575 EPDM50</b>
50	58	152	1230	165	<b>X* GKD615 EPDM50</b>
50	58	152	1230	165	<b>X* GKD650 EPDM50</b>

Find the right seal for your requirement with the help of the product configurator on [www.hauff-technik.ae](http://www.hauff-technik.ae)

x = number of segments

Have the installation procedure in view at all time with integrated inspection window  
Yellow. Safe. Installed.

### GKD – installation security inclusive



unsealed...  ...sealed 


### GKD – simply quicker installed



The combination of a optimized bolt geometry, a special rubber and the Hauff lubricant ensures that the modular seal is installed after a one-time tightening. Your advantage – no waiting time and no time consuming repeated retightening


#### New:

1. installation time



#### Until now:

- 1. installation time
- 2. waiting time
- 3. additional installation time



# The visual installation control Modular seal GKD



All yellow.  
Done!



All yellow?  
Installation mistake immediately noticed!



All yellow.  
Installation time saved!



Installation procedure  
MODULAR SEAL GKD





Find more information about the modular seal GKD on our website.

**Hauff-Technik Middle East FZE**

PO Box 35070

WH-03, Plot No 2150483, Marakech Street

Umm Ramool Dubai UEA

Tel. +971 4 2623247

office@hauff-technik.ae