

# Multi-line building package

For buildings without a basement

## MSH Basic FUBO BHP6m

Article no.: 3030476102, GTIN: 4052487241069



- **suitable for all standard gas house entry combinations**
- **duct system checked for pressure tightness**
- **easy integration of the vapour barrier using the adhesive ribbon**



Picture may differ from selected product

For the collective feeding in and sealing of all supply lines (power, water, telecommunications, gas).

## FACTS

### Advantages:

- Seals all supply lines through one entry
- Continuous duct connection up to the main supply lines at the edge of the property possible
- All services are fed in separately
- The arrangement of the individual services is flexible



## Scope of delivery:

- 1 piece of basic unit for 4 services incl. Adhesive ribbon
- 1 piece of height-adjustable installation fixture with flanges as water barrier
- 4 pieces of spiral hose KES-14078-MSD inclusive ducts and mounted 3-lip sealing
- 1 piece of Basic-MBK R4 seal insert MSH
- 1 piece of sealing element for drinking water SDW 1x32/40/50
- 1 piece of sealing element for electricity SDE 1x26-29/36-39/43-46/48-51
- 1 piece of universal sealing element communications SDK 1x13-21+3x7-13+1x5-13
- 1 piece of blind sealing element SD0
- 2 pieces sleeve caps MS78U 1x24-52 for electricity and water
- 1 piece of sleeve cap MS78K 1x13-21+3x7-13+1x5-12 for communications
- 1 piece of sleeve cap MS78 D0 for blind seal
- 1 piece of GMT35 lubricant

## Properties:

- DVGW-certified
- variable height adaptation to the finished floor level
- 50-mm surrounding flange for connecting the vapour barrier

## Application range:

- Water exposure class DIN 18533: W1-E
- Waterproof concrete stress class 1, waterproof concrete stress class 2

## Tightness:

- gastight and watertight to 1.0 bar

## Tests/Standards:

- DVGW VP 601

# FEATURES

Hose length (m): 6.0

Packing unit: 4

# PICTURES

