

# Multi-line building package

for buildings without a basement

## MSH Basic FUBO BHP25m

Article no.: 3030476236, GTIN: 4052487241007



- suitable for all standard gas house entry combinations

- Tested pressure tight duct system
- easy integration of the vapour barrier using the adhesive flange

For the collective feeding in and sealing of all supply lines (power, water, telecommunications, gas).



Picture may differ from selected product

## FACTS

### Advantages:

- Seals all supply lines through one entry
- Continuous duct connection up to the main supply lines at the property boundary possible
- All services are fed in separately
- The arrangement of the individual services is flexible



## Scope of delivery:

- 1 piece of basic unit for 4 services incl. Adhesive ribbon
- 1 piece of height-adjustable installation fixture with flanges as water barrier
- 4 pieces of spiral hose KES-14078-MSD inclusive ducts and mounted 3-lip sealing
- 1 piece of Basic-MBK R4 seal insert MSH
- 1 piece of sealing element for drinking water SDW 1x32/40/50
- 1 piece of sealing element for electricity SDE 1x26-29/36-39/43-46/48-51
- 1 piece of universal sealing element communications SDK 1x13-21+3x7-13+1x5-13
- 1 piece of blind sealing element SD0
- 2 pieces sleeve caps MS78U 1x24-52 for electricity and water
- 1 piece of sleeve cap MS78K 1x13-21+3x7-13+1x5-12 for communications
- 1 piece of sleeve cap MS78 D0 for blind seal
- 1 piece of GMT35 lubricant

## Properties:

- DVGW-certified
- variable height adaptation to the finished floor level
- 50-mm surrounding flange for connecting the vapour barrier

## Application range:

- Water exposure class DIN 18533: W1-E
- Waterproof concrete stress class 1 and 2

## Tightness:

- gastight and watertight to 1.0 bar

## Tests/Standards:

- DVGW VP 601

## FEATURES

Hose length (m): 25.0

Packing unit: 1

## PICTURES

