

Cement-coated wall sleeve with sleeve

floor entry for Hateflex spiral hose

KES MA150 ZVR150/500

Article no.: 2125502000, GTIN: 4052487139991

- Special coating creates a homogeneous bond with the concrete
 - The cement-coated wall sleeve can be cut to size straight or at an angle once the floor has been finished

For use in waterproof concrete. The Hateflex 14150 spiral hose can be connected using a sleeve. The seal with the cables is created with a press seal that is not included in the scope of delivery.



Picture may differ from selected product

FACTS

Advantages:

- Break-resistant, inherently stable plastic pipe
- Lightweight

Scope of delivery:

- 1 piece Wall sleeve
- 1 piece Sleeve with clamping straps

Dimensions:

- Wall sleeve ID: 150 mm
- Length (not including sleeve): 500 mm

Properties:

• Hateflex spiral hose must be ordered separately in required length

Application range:

• Waterproof concrete stress class 1, waterproof concrete stress class 2

Material:

- Pipe: PVC-U
- Closing cover: PE
- Sleeve: EPDM
- Clamping straps: W4

Tightness:

• gastight and watertight

FEATURES

Item: Zement-Verbund-Rohr mit Manschette

PICTURES







Tel. +49 7322 1333-0

Fax +49 7322 1333-999